

KOFAX Capture

Release Notes for Ascent® 7.5
Release Script for
Documentum 6.0-6.5



© 1994 - 2008 Kofax, Inc., 16245 Laguna Canyon Road, Irvine, California 92618, U.S.A. All rights reserved. Use is subject to license terms.

Third-party software is copyrighted and licensed from Kofax's suppliers. This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>).

This product is protected by U.S. Patent No. 6,370,277.

THIS SOFTWARE CONTAINS CONFIDENTIAL INFORMATION AND TRADE SECRETS OF KOFAX, INC. USE, DISCLOSURE OR REPRODUCTION IS PROHIBITED WITHOUT THE PRIOR EXPRESS WRITTEN PERMISSION OF KOFAX, INC.

Kofax, the Kofax logo, Ascent Capture, the Ascent Capture logo, and Ascent are trademarks or registered trademarks of Kofax, Inc. in the U.S. and other countries.

Documentum and Documentum Content Server are registered trademarks of EMC Corporation.

Microsoft and Windows are registered trademarks of Microsoft Corporation.

All other product names and logos are trade and service marks of their respective companies.

U.S. Government Rights Commercial software. Government users are subject to the Kofax, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

You agree that you do not intend to and will not, directly or indirectly, export or transmit the Software or related documentation and technical data to any country to which such export or transmission is restricted by any applicable U.S. regulation or statute, without the prior written consent, if required, of the Bureau of Export Administration of the U.S. Department of Commerce, or such other governmental entity as may have jurisdiction over such export or transmission. You represent and warrant that you are not located in, under the control of, or a national or resident of any such country.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Contents

Introduction	1
Additional Documentation	1
Ascent Capture 7.5	1
Kofax Capture 8	1
System Requirements	2
Documentum Server Support	2
Client Operating System Support	2
Administration and Release Workstations – Additional Requirements	2
Source Code	3
Features	4
Kofax Capture Values / Documentum Properties	4
Kofax Capture Value {Document GUID}	4
Sharing Data Among Release Scripts	4
Integrated Release Setup	5
Image Support	5
Kofax PDF Support	5
Adobe Acrobat Capture PDF Support	5
OCR Full Text Support	6
eDocument Support	6
Help Provided for Release Setup	6
Additional Information	7
Unsupported Kofax Capture Features	7
SecurityBoost	7
File Name Retention	7
{Index Operator’s Station ID} Kofax Capture Value	7
Releasing eDocuments Only (Without Image Files)	8
OCR Full Text Options	8
Kofax PDF Options	8
Adobe Acrobat Capture Options	9
Operating System Requirements for Kofax Capture	9
Adobe Acrobat Capture and the Kofax Capture Release Workstation Installations	9
Workflow Steps	9
Multipage TIFFs	10
Releasing From Multiple Kofax Capture Standalone Workstations	10
Re-releasing Documents in Error	10
Invalid Watched Folders	10
Installing the Release Script	11

Important Notes About Installing the Release Script	11
Separate Computers	11
Installation Instructions	11
Application Maintenance	12
Repairing the Release Script	12
Removing the Release Script	12
Logging On to the Release Script	13
Setting Up the Release Script	14
Storage Settings Tab	14
Document Settings Tab	14
Document Options Tab	14
Routing Tab	14
Image Format Tab	14
General Settings Tab	14
Publishing a Batch Class	15
Releasing Batches	16
Known Problems	17
Viewing Documentum Documents Released as Single Page TIFF Images	17
Problems When Installing On Windows XP	17
Problems When Uninstalling the Release Script	17
Documentum DM_TIME	17
Versioning Documents With Duplicate Names	18
Search Fields Fail With Repeating Attributes	18
Releasing to a Workflow Requires Input Port 0	18
Image Folders Left Behind in Release Working Directory	19
Creating Versions When Releasing Existing Documents	19
Releasing eDocuments	19
Using Adobe Acrobat Capture	19
Using Release Rendition as Kofax PDF or Adobe PDF	19
Releasing OCR Full Text Renditions	20
With Set Full Text Indexing Option Selected	20
With eDocuments	20
Latest Version Option	20
Dynamically Select Object Type	20
Workflows With the Same Name	20
Unexpected Behavior With the Release Working Directory	21
Appendix A - Releasing eDocuments	22
Storing to a Specified Cabinet / Folder	22
Storing to a Virtual Document	23
Kofax Technical Support	25

Introduction

This document contains the release notes for the Ascent® 7.5 Release Script for Documentum 6.0-6.5, which supports Documentum 6.0 and Documentum 6.5. This release script releases document images, OCR full text files, PDF documents, eDocuments, and data to the Documentum repository.

Please read these notes carefully as they contain information not included in the Help or printed documentation.

Additional Documentation

These release notes are a supplement to the following:

Ascent Capture 7.5

- Ascent Capture Release Notes
- *Getting Started with Ascent Capture guide*
- *Installation Guide for Ascent Capture and Ascent Capture Internet Server*
- *Ascent Capture Advanced Features Guide*
- *Learning Ascent Capture guide*
- Help provided from any of the Ascent Capture modules
- Help provided with the Ascent® 7.5 Release Script for Documentum 6.0-6.5

Kofax Capture 8

- Kofax Capture Release Notes
- *Kofax Capture 8 Getting Started Guide*
- *Kofax Capture 8 Installation Guide*
- *Kofax Capture 8 Developer's Guide*
- Help provided from any of the Kofax Capture modules
- Help provided with the Ascent® 7.5 Release Script for Documentum 6.0-6.5

For more information about Documentum or other Documentum products, contact your Documentum representative or refer to the documentation that came with your Documentum product.

Tip For additional information about Kofax products, visit our Web site at www.kofax.com and go to the Technical Support pages. The Technical Support Web pages provide product-specific information, such as current revision levels, the latest drivers and software patches, technical tips, and a searchable knowledgebase. In addition, updates to product documentation (if any) are available from these pages.

System Requirements

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 requires the following components to be installed prior to installing this release script.

Documentum Server Support

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 supports the following Documentum Content Servers:

- Documentum 6.0 Content Server
- Documentum 6.5 Content Server

Client Operating System Support

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 supports the following client operating systems:

- Windows 2000 Professional with Service Pack 4
- Windows 2000 Server with Service Pack 4
- Windows Server 2003 (Standard or Enterprise Edition)
- Windows XP Professional with Service Pack 2

Note At the time of publishing these release notes, the Ascent® 7.5 Release Script for Documentum 6.0-6.5 was certified with the Service Packs listed above.

Administration and Release Workstations – Additional Requirements

The Administration and Release workstations must have the following components installed:

- Ascent Capture 7.5 or Kofax Capture 8
- DFC 6.0 (API), DFC 6.5 (API)

Note All subsequent references in this document to “Kofax Capture” apply to Kofax Capture 8 or Ascent Capture 7.5, depending on which version you have installed.

Source Code

The source code for the Ascent® 7.5 Release Script for Documentum 6.0-6.5 is provided and it is located on the Ascent® 7.5 Release Script for Documentum 6.0-6.5 installation CD in the Documentum\Documentum6 folder. The source code can be opened, edited, and compiled in Visual Basic 6.0 with Service Pack 6.

► **To modify the release script**

- 1 Install the Documentum release script. Refer to *Installing the Release Script* on page 11 for the installation instructions. When you install the Documentum release script, you will install the required components referenced in the source code.
- 2 Open, make any desired modifications, and compile the Documentum source code in Visual Basic.
- 3 Copy the DCMTRel6_v75.dll to the installation directory (for example, C:\Program Files\Ascent\CAP\Documentum\Documentum6\DCMTRel6_v75.dll). When you are prompted to replace the existing file, select "Yes." You will need to repeat this procedure on each Administration and Release workstation that will be using the Documentum release script.

Note In order to successfully modify and compile the release script, development must occur on a workstation with the appropriate versions of Kofax Capture, CAPTools, and the Documentum DFC previously installed. To use the modified release script, you must replace the Documentum release script DCMTRel6_v75.dll with the modified version on the client workstation. If you receive an access denied error, you will need to close the Administration module.

Refer to the documentation that came with your Documentum product and Visual Basic documentation for assistance.

Features

This section contains information about features provided with the Ascent® 7.5 Release Script for Documentum 6.0-6.5.

Kofax Capture Values / Documentum Properties

The Documentum release script provides an easy-to-use interface for linking Kofax Capture Values to Documentum document properties and folder properties. Examples of Kofax Capture Values include Document index fields, Folder index fields, Batch fields, and Text Constants.

Kofax Capture Value {Document GUID}

The Kofax Capture Value {Document GUID} is a new value that can be used for index fields and release values. This Kofax Capture value is a type of document ID that is unique across the central site and all remote sites that comprise a Kofax Capture installation. The Document GUID is the concatenation of the Batch GUID and the document ID number. For example, a Batch GUID of {D3C58EE2-5627-443b-BBFA-EE7A5790482A} and a document ID of 123 will yield {D3C58EE2-5627-443b-BBFA-EE7A5790482A} 123 as the Document GUID.

Sharing Data Among Release Scripts

The Kofax Capture Release Script Information Interchange feature is useful when more than one release script has been configured for a particular batch class and document class combination.

The sharing of information is accomplished by allowing the release scripts to pass information to other release scripts. The Kofax Capture Value {Repository Document ID} is used to store and retrieve the RepositoryDocumentID that will be used by the first invoked release script. Therefore, the first release script that runs can set this value, and subsequent release scripts can read the same value.

Notice that when you are passing the RepositoryDocumentID information to a different release script, the release script must exist within the same document class using multiple release. In addition, the release script that is passing the RepositoryDocumentID information must be placed first in the list on the Release Scripts window. For example:

```
Documentum 6.0-6.5  
Kofax Capture Text
```

Only the first release script can set the RepositoryDocumentID value. Subsequent release scripts can only read this value.

Refer to your Kofax Capture Help for more information about configuring the RepositoryDocumentID. You can display Kofax Capture Help from the Help menu available from any Kofax Capture module. Alternatively, you can click Start | Programs | Kofax Capture | Kofax Capture Help.

Integrated Release Setup

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 provides an easy-to-use setup window available from the Kofax Capture Administration module. This window allows you to specify release settings at batch class setup time that control how documents are released into your Documentum repository.

Refer to the section *Setting Up the Release Script* on page 14 for more information.

Image Support

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 supports releasing the following file formats/compression formats:

- Multipage TIFF with Group 3, Group 3/2D, and Group 4 Compression
- Multipage TIFF – Uncompressed Image Format
- Multipage TIFF with JPEG Compression
- Single page TIFF with Group 3, Group 3/2D, and Group 4 Compression
- Single page TIFF – Uncompressed Image Format
- Single page TIFF – JPEG Compression
- PCX – PackBytes
- JPG – JPEG Compression
- Kofax PDF
- Adobe PDF from TIFF
- Adobe PDF from JPEG
- Adobe PDF from PCX

Kofax PDF Support

With the Ascent® 7.5 Release Script for Documentum 6.0-6.5, you can release Kofax PDF documents into your Documentum repository. Kofax PDF is bundled with Kofax Capture and does not require additional software implementation. Kofax PDF documents can be saved in the following output types:

- Image Only
- Image + Text files

For more information about Kofax PDF documents, refer to *Kofax PDF Options* on page 8.

Adobe Acrobat Capture PDF Support

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 supports releasing Adobe Acrobat Capture PDF documents into your Documentum repository. The software is provided by Adobe Acrobat Capture and is not included with the Kofax Capture product. To release Adobe Acrobat Capture PDF documents, you must install the Adobe® Acrobat Capture® 3.04 Clustered or Personal Edition software.

For more information about Adobe Acrobat Capture PDF documents, refer to *Adobe Acrobat Capture Options* on page 9.

OCR Full Text Support

With the Ascent® 7.5 Release Script for Documentum 6.0-6.5, you can release documents processed through the Kofax Capture OCR Full Text module into your Documentum repository.

For more information, refer to *OCR Full Text Options* on page 8.

eDocument Support

With the Ascent® 7.5 Release Script for Documentum 6.0-6.5, you do not need to limit your batches to image files. eDocuments are supported for release into Documentum as renditions.

For more information refer to *Releasing eDocuments Only (Without Image Files)* on page 8 and *Appendix A – Releasing eDocuments* on page 22.

Help Provided for Release Setup

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 Help is installed with your release script. It is available from the Administration module when you are setting up your release script. You can click the Help button from the Ascent® 7.5 Release Script for Documentum 6.0-6.5 – Release Setup window to display help information about release options.

Additional Information

This section contains additional information about the Ascent® 7.5 Release Script for Documentum 6.0-6.5.

Unsupported Kofax Capture Features

Ascent® 7.5 Release Script for Documentum 6.0-6.5 does not support the following Kofax Capture features.

SecurityBoost

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 does not support the Kofax Capture SecurityBoost feature. The SecurityBoost feature allows you to enhance Kofax Capture security for systems using Microsoft Windows XP or Windows 2000. If security is an issue, run the release script on a protected computer.

If the SecurityBoost feature is enabled for Kofax Capture on your Microsoft Windows XP or Windows 2000 workstation, you will need to bypass it. Use the following procedure to bypass the SecurityBoost feature.

► To bypass the SecurityBoost feature

- 1 From the Windows taskbar, select Start | Run.
- 2 In the text box, enter `release.exe /NoBoost` (For example, “C:\Program Files\Ascent\Bin\release.exe”/NoBoost).
- 3 Click OK.

Refer to the Kofax Capture Help for more information about the SecurityBoost feature.

File Name Retention

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 does not support file name retention. This means that the original imported file name will not be retained and the default numeric name will be used.

Tip The Kofax Capture Value “{First Page Original File Name}” allows you to retain the original file name for the first page of a document. This value can be linked to Documentum properties that support Ascent Values. Notice that the Documentum property type must be able to accept all the characters that are part of the original file name and must not exceed the defined length or release may fail.

{Index Operator’s Station ID} Kofax Capture Value

The Kofax Capture Value {Index Operator’s Station ID} has been deprecated, and replaced by {Validation Operator’s Station ID}. It is strongly recommended that you use {Validation Operator’s Station ID} instead.

Releasing eDocuments Only (Without Image Files)

In the Ascent® 7.5 Release Script for Documentum 6.0-6.5, all eDocuments are released into Documentum as rendition documents. This means that when you release an eDocument without image files, Documentum will show the document as “binary data” and the eDocument will only be viewable as an attachment (or rendition in Documentum). Notice that eDocuments cannot be released as the primary document (eDocuments only).

OCR Full Text Options

To release OCR full text files, you must enable Kofax Capture OCR full text processing in your applicable document class and add the OCR Full Text module to your applicable batch class.

Refer to the Ascent® 7.5 Release Script for Documentum 6.0-6.5 Help for details about how OCR full text files and non-image files are released to the Documentum repository.

► To enable OCR full text processing for a document class

- 1 From the Create Document Class window or Document Class Properties window, select the OCR tab.
- 2 Check the Enable OCR full text check box to enable OCR full text processing for the document class.
- 3 Click Apply to save your settings without closing the window. Click OK to save your settings and close the window.

► To add the OCR Full Text module to a batch class

- 1 From the Create Batch Class window or Batch Class Properties window, select the Queues tab.
- 2 Select OCR Full Text from the list of Available Queues, and click Add.
- 3 Click Apply to save your settings without closing the window. Click OK to save your settings and close the window.

Kofax PDF Options

To release Kofax PDF documents, you must enable Kofax PDF generation in your applicable document class and add the Kofax PDF Generator module to your applicable batch class.

Refer to the Ascent® 7.5 Release Script for Documentum 6.0-6.5 Help for details about how Kofax PDF documents and non-image files are released to the Documentum repository.

► To add the Kofax PDF Generator module to a batch class

- 1 From the Create Batch Class window or Batch Class Properties window, select the Queues tab.
- 2 Select PDF Generator from the list of Available Queues, and click Add.
- 3 Click Apply to save your settings without closing the window. Click OK to save your settings and close the window.

► To enable Kofax PDF generation for a document class

- 1 From the Create Document Class window or Document Class Properties window, select the PDF tab.

- 2 Check the Enable Kofax PDF generation check box to enable Kofax PDF processing for the document class.
- 3 Click Apply to save your settings without closing the window. Click OK to save your settings and close the window.

Adobe Acrobat Capture Options

The Ascent® 7.5 Release Script for Documentum 6.0-6.5 supports Adobe Acrobat Capture. This section contains information related to using Adobe Acrobat Capture for your Adobe PDF documents.

For additional details about creating Adobe Acrobat Capture PDF documents, refer to the documentation that came with your Adobe Acrobat Capture product.

Refer to the Ascent® 7.5 Release Script for Documentum 6.0-6.5 Help for details about how Adobe Acrobat Capture PDF documents and non-image files are released to the Documentum repository.

Operating System Requirements for Kofax Capture

To release Adobe PDF documents, your Kofax Capture Administration and Release workstations must be running on Windows XP or Windows 2000. Windows 95, Windows 98, Windows Me, and Windows NT are not supported operating systems for Kofax Capture.

Adobe Acrobat Capture and the Kofax Capture Release Workstation Installations

During the conversion process, communication needs to occur between Adobe Acrobat Capture and the Kofax Capture Release module. However, due to timing conflicts, Adobe Acrobat Capture and Kofax Capture cannot be run at the same time on a workstation. Therefore, Adobe Acrobat Capture and Kofax Capture must be installed on separate workstations on the same LAN.

Workflow Steps

Adobe Acrobat Capture lets you create your own workflow or use one of the predefined workflows. Note the following:

For complete image conversion for Formatted Text & Graphics or Searchable Image page content, a basic Adobe Acrobat Capture workflow must contain at least four steps, in this order:

- 1 Capture Image
- 2 Bind Pages
- 3 Export to PDF
- 4 Store File (PDF)

For complete image conversion for Image Only page content, the Adobe Acrobat Capture workflow must be called "PDF Image Only" and contain at least three steps, in this order:

- 1 Convert Image to PDF
- 2 Combine PDFs
- 3 Store File (PDF)

Note When creating workflows, do not include manual steps such as Quick Fix Page, Review Document, and Zone Images. If you do, Adobe Acrobat Capture will stop running when it encounters any of these steps and require manual processing by the user. This kind of workflow is not suitable for Kofax Capture Release because it disrupts the automated process of releasing Adobe PDF documents.

Multipage TIFFs

If you are releasing multipage TIFFs, you must use the Split Multipage TIF step in your Adobe Acrobat Capture workflow.

Releasing From Multiple Kofax Capture Standalone Workstations

If you use multiple Kofax Capture standalone workstations and one Adobe Acrobat Capture hub, you must create unique Adobe Acrobat Capture “workflows” and “watched folders” for each Kofax Capture standalone workstation. This is because Adobe Acrobat Capture uses Kofax Capture document IDs for its document-naming scheme. Since standalone Kofax Capture document IDs may not be unique, the document names could conflict in Adobe Acrobat Capture and cause the release process to fail.

Re-releasing Documents in Error

If an Adobe Acrobat Capture error occurs during the release process, you must clear your Adobe Acrobat Capture finished documents and cancel any hung documents before re-releasing the same documents in Kofax Capture.

Invalid Watched Folders

If you attempt to release documents to an invalid Adobe Acrobat Capture watched folder, the documents will be rejected. To cancel the release, click Cancel on the Kofax Capture PDF Release window displayed at the Release workstation. The Cancel button will automatically cancel the Adobe Acrobat Capture documents.

Installing the Release Script

You can install the Ascent® 7.5 Release Script for Documentum 6.0-6.5 on a Kofax Capture client workstation or standalone workstation.

Important Notes About Installing the Release Script

To install the Ascent® 7.5 Release Script for Documentum 6.0-6.5 you must have Windows administrator privileges. If you do not have administrator privileges and install this release script, you may receive error messages and several of the files may not install correctly.

Before you install the Ascent® 7.5 Release Script for Documentum 6.0-6.5, refer to *System Requirements* on page 2 for information about installation requirements.

Separate Computers

You must install the Kofax Capture software and the Documentum server components on *separate* computers. If you install Documentum and Kofax Capture on the same computer, communication between any Documentum components and the DocBroker will fail. This is an unsupported configuration. (SPR 00009740)

Installation Instructions

Use the following instructions to install the Ascent® 7.5 Release Script for Documentum 6.0-6.5.

► To install the release script

- 1 Insert your Ascent® 7.5 Release Script for Documentum 6.0-6.5 installation CD into your CD drive.
- 2 From your Windows task bar, select Start | Run, browse to the Documentum\Documentum6 folder on the CD, and run Setup.exe. The installation program will start.
- 3 Follow the instructions on your screen to install the release script.
- 4 When the installation is complete, a message will display that indicates the release script was successfully installed.

Note Installing the release script automatically registers it with Kofax Capture.

- 5 Repeat this procedure on all Administration and Release workstations that will use the Ascent® 7.5 Release Script for Documentum 6.0-6.5.

Note Upgrading from a previous release script to Ascent® 7.5 Release Script for Documentum 6.0-6.5 is not supported.

Application Maintenance

This section describes how to repair and remove the Ascent® 7.5 Release Script for Documentum 6.0-6.5.

Repairing the Release Script

The Repair option replaces missing, renamed, or deleted files.

► To repair the release script

- 1 Insert your Ascent® 7.5 Release Script for Documentum 6.0-6.5 installation CD into your CD drive.
- 2 From your Windows task bar, select Start | Run, browse to the Documentum\Documentum6 folder on the CD, and run Setup.exe.
- 3 Setup will detect an existing installation and the Application Maintenance window will display.
- 4 From the Application Maintenance window, ensure that the “Repair” option is selected and then click Next.
- 5 Follow the instructions on the screen to repair the release script.
- 6 When the repair is complete, a message will display that indicates the release script was successfully installed.

Removing the Release Script

The Remove option will delete the release script.

► To remove the release script

- 1 Insert your Ascent® 7.5 Release Script for Documentum 6.0-6.5 installation CD into your CD drive.
- 2 From your Windows task bar, select Start | Run, browse to the Documentum\Documentum6 folder on the CD, and run Setup.exe.
- 3 Setup will detect an existing installation and the Application Maintenance window will display.
- 4 From the Application Maintenance window, select “Remove” and then click Next.
- 5 Follow the instructions on the screen to delete the release script.
- 6 When the uninstallation is complete, a message will display that indicates the release script was successfully uninstalled.

Alternatively, you can use the Add or Remove Programs utility from the Windows Control Panel to uninstall your Ascent® 7.5 Release Script for Documentum 6.0-6.5.

Refer to your Microsoft documentation for more information about the Add or Remove Programs utility.

Refer to *Problems When Uninstalling the Release Script* on page 17 for information about a known problem.

Note After uninstalling, your Ascent® 7.5 Release Script for Documentum 6.0-6.5 release script will continue to display in the Release Script Manager, although it will not be functional. To remove the release script from the list, you must go into every batch class and associated document class, select the applicable release script from the Assigned Release Scripts list, and click Remove. You must do this for every instance of the Documentum release script. After all references to the release script are removed, you will be able to delete the Documentum release script from the Release Script Manager.

Logging On to the Release Script

Once you have associated a document class with a batch class in Kofax Capture, you may specify the release script to use when releasing your images, OCR full text files, PDF documents, eDocuments, and index data.

► To log on to the release script

- 1 Start the Kofax Capture Administration module. The module's main screen will display.
- 2 Select the Batch class tab on the Definitions panel, and right-click the applicable document class. (Expand the batch class item to select associated document classes.) A context menu will display.
- 3 From the context menu, select "Release Scripts." The Release Scripts window will display.
- 4 The Release Scripts window lists all available release scripts. Available release scripts are those that are registered with Kofax Capture. From the Release Scripts window, select the "Documentum 6.0-6.5" release script, and click Add. The Ascent® 7.5 Release Script for Documentum 6.0-6.5 – Login Information window will display.
- 5 Enter your Documentum user name, password, and the desired Documentum repository. (The user name and password are case-sensitive.) The login information will be saved for use at release time.

Note The login information will be saved and used during Release.

- 6 Click OK. The Ascent® 7.5 Release Script for Documentum 6.0-6.5 – Release Setup window will display.
- 7 Refer to the next section, *Setting Up the Release Script*, for information about the set up options.

Setting Up the Release Script

The following sections describe the setup options available with the Ascent® 7.5 Release Script for Documentum 6.0-6.5.

Note For more details about the available setup options, refer to the Help available from the Ascent® 7.5 Release Script for Documentum 6.0-6.5 – Release Setup window.

Storage Settings Tab

This tab allows you to specify the storage location for your released documents. In addition, you can select from a list of available Documentum folder object types and link Ascent Values to Documentum folder properties. This tab allows you to create folders for your released documents.

Document Settings Tab

This tab allows you to select from a list of available object types, and link Ascent Values to Documentum properties. It also allows you to specify document versioning and optionally select a dynamic object type to your released documents.

Document Options Tab

This tab allows you to select from a list of available permission sets, and link Ascent Values to Documentum permission sets. It also allows you to set full text indexing, specify whether released documents are to be converted to virtual documents, and select a location for saving exception documents.

Routing Tab

This tab allows you to specify the lifecycle stages for released documents and define distribution options. In addition, you can specify an existing or dynamic workflow for released documents.

Image Format Tab

This tab allows you to specify the desired image format(s) for releasing your images. You can specify a primary format and a rendition format. If Adobe PDF is selected as an image format, the PDF Settings on this tab will become available for selection.

General Settings Tab

This tab allows you to specify a temporary storage location to be used at release time, and specify whether to skip the first page of each document. You may want to skip the first page if you are using standalone separator sheets to separate your documents, and you do not want to release the separator sheets.

Publishing a Batch Class

After you select all your batch class settings, you must publish your batch class before you can use it. The publishing process checks the integrity of the settings in your batch class, and makes the batch class available for use. If problems are found with any of the settings, error and warning messages will be displayed along with recommended actions for fixing the problems.

If you ever decide to edit your batch class, you must publish your batch class again before your changes can be used. Your changes will not be applied to batches created before the new publication date.

► To publish a batch class

- 1 Start the Kofax Capture Administration module. The module's main screen will display.
- 2 Select the Batch class tab from the Definitions panel, and right-click the applicable batch class. A context menu will display.
- 3 From the context menu, select "Publish." The Publish window will display.
- 4 From the Publish window, select your batch class and click Publish. Kofax Capture will check all of your batch class settings and display the results in the Results box.
 - a If no problems are detected, the message "Publishing successful" will display.
 - b If problems are detected, warning/error messages will display along with recommended actions to resolve the problems. Perform the recommended actions, and then try to publish the batch class again.
- 5 Run some sample batches through the system to test the operation of the release script.

After successfully publishing, you can create batches based on your batch class. As your batches flow through your Kofax Capture system, they will be routed from module to module. The modules that are used to process a batch, and the order that processing occurs, are specified as part of the batch class definition for the batch.

Refer to the Kofax Capture Help for more information about batch classes.

Releasing Batches

With the Ascent® 7.5 Release Script for Documentum 6.0-6.5, the Kofax Capture Release module will process batches based on the settings of the associated batch classes. The Release module is responsible for releasing documents, as well as index data using the attributes defined during release setup.

The Kofax Capture Release module usually runs as an unattended module on a Windows workstation, periodically polling the Release module for available batches. The Release module may be configured to run during off-hours to avoid any impact to the throughput of Kofax Capture and/or the network system. To start the Release module, select Start | Programs | Kofax Capture | Release. All batches queued for release will be released after initiation of the Release module.

Note Refer to the Kofax Capture Help for more information about configuring the Release module. You can display Kofax Capture Help from the Help menu available from any Kofax Capture module. Alternatively, you can click Start | Programs | Kofax Capture | Kofax Capture Help.

► To release a batch

- 1 Start the Kofax Capture Release module. The module's main screen will display. Any batches waiting to be released will be processed.
- 2 Once your batch is released, it will be removed from Kofax Capture. If any documents or pages are rejected, the batch will be routed to the Kofax Capture Quality Control module. If successful, each document's item ID number will display in the Release module event log.
- 3 When you want to exit the Release module, select Batch | Exit from the Release module's menu bar.

Known Problems

This section contains information about known problems with the Ascent® 7.5 Release Script for Documentum 6.0-6.5.

Viewing Documentum Documents Released as Single Page TIFF Images

A document viewer is required to view documents that have been released as single page TIFF images. However, with some document viewers, only the first page of the multipage TIFF image can be viewed. You can open and view the document in Capio, Windows 2000, or Visual Basic Demo. Alternatively, you can convert the document to a different format in order to view the contents of the file. (SPR 00023762)

Problems When Installing On Windows XP

If you are installing the Ascent® 7.5 Release Script for Documentum 6.0-6.5 on a Windows XP Professional operating system and you specify a mapped drive, you will receive the following error message. (SPR 31250)

Error 1904. Module <mapped drive> failed to register. HRESULT -2147467259. Contact your support personnel .

Workaround: The error message is incorrect and can simply be ignored. Click the Ignore button and the release script will successfully install and register the release script.

If you click the Abort button, the installation will end. If you click the Retry button, you will receive the error message again.

Problems When Uninstalling the Release Script

If you click the Cancel button while you are uninstalling the release script, all the release script original files will remain properly installed on the system. However, depending on the point during the uninstallation that the Cancel button is clicked, the release script may be un-registered. In such a case, once you attempt to log on to the release script, login will fail. (SPR 31221)

Workaround: If the problem occurs, run Repair.

Refer to *Repairing the Release Script* on page 12 for more information. Alternatively, you can re-register the release script in the Release Script Manager.

Documentum DM_TIME

The Kofax Capture TIME data type does not support Documentum properties of the DM_TIME index. If the TIME data type is linked to the Documentum DM_TIME index, the release will fail. (SPR 21931)

The Kofax Capture DATE data type is compatible with the Documentum DM_TIME type. In this case, the date will be submitted to Documentum but the time fields will be zero.

Workaround: Define a custom time/date field as a VARCHAR data type in Kofax Capture and ensure that the time value is entered in the *mm/dd/yyyy hh:mm:ss* format.

Versioning Documents With Duplicate Names

If versioning is enabled and you attempt to release a document with the same name as one that already exists in the Documentum repository, the document being released may not be versioned. This is because Documentum allows duplicate document names within a folder, which may cause problems when searching for documents with identical names. (SPR 00009808)

For example, assume that the Documentum repository contains two documents named Doc01. When releasing documents, the release script will search the repository until it finds the *first occurrence* of a document with the name Doc01. Then, the script will use the document ID of that document to search within the virtual document for an occurrence of the document. If the document ID exists in the virtual document, the release script will version the document. However, if the document ID does not exist in the virtual document, the script will assume that the document being released is a new document and create a duplicate document within the virtual document.

Workaround: To ensure uniqueness within a virtual document, define search fields that determine if a released document is a duplicate or needs to be versioned. To define search fields, click the Search Fields button from the Document Settings tab. The Select Search Fields window will display, allowing you to select Documentum properties to use as search fields. All Documentum properties associated with the selected object type will be available.

For more information, click the Help button from the Document Settings tab.

Search Fields Fail With Repeating Attributes

When using repeating attributes that contain multiple values for search fields, documents will not be versioned properly at release. Instead, duplicate documents will be created. No error will be generated. (SPR 00009793)

Workaround: With search fields, use single values for repeating attributes.

Releasing to a Workflow Requires Input Port 0

Released documents can be sent to a Documentum workflow, as long as the initial step of the workflow accepts documents on input port 0. If this is not the case, the following error will occur, release will fail, and the batch will be sent to the Kofax Capture Quality Control module. (SPR 26786)

```
The package <package name> is not in the specified input port, Input: <port number>. ;  
ERRORCODE: 100; NEXT: null ] Please update your workflow so the initial step is set to  
input port 0, remove the released documents from 4i, and run the batch again.
```

Workaround: To resolve the problem, redefine the first step in the workflow to use input port 0. Open your batch in the Kofax Capture Quality Control module, clear the rejected status, and then process the batch.

Refer to the documentation that came with your Documentum product for details about defining workflows.

Image Folders Left Behind in Release Working Directory

When releasing single page images only, the image folders for those images will be left behind in the Release Working directory. Over time, many empty folders may accumulate in the Release Working directory. (SPR 00009737)

Workaround: Manually delete empty folders in the Release Working directory. The Release Working directory is specified from the General Settings tab during release setup.

Creating Versions When Releasing Existing Documents

Kofax Capture's release operation does not properly create a new version of an existing document, instead it creates a duplicate document name even if the "allow duplicate documents" check box is unchecked. The problem occurs when using the default search field, "object_name," to identify that a document of the specified name already exists. (SPR 00009785)

Workaround: When using the default search field to locate documents with duplicate names and the "allow duplicate documents" check box is unchecked, you should define at least one additional search field with a specific value that matches the document that needs to be versioned. To define search fields, click the Search Fields button from the Document Settings tab. The Select Search Fields window will display, allowing you to select the Documentum properties to use as search fields.

For more information on specifying search fields, click the Help button from the Document Settings tab.

Releasing eDocuments

The following sections describe known problems when releasing eDocuments.

Using Adobe Acrobat Capture

You cannot release a document containing all eDocuments using Adobe PDF as the primary image format. If you attempt to do so, the following error message will be generated. (SPR 00010020)

```
Release Error: Script #1 (Documentum) [-2147461859 DfException: THREAD: main; MSG:
[DM_API_E_NO_FILE]error: "No file name given for command setfile."
ERRORCODE: 100; NEXT: null; at
com.documentum.fc.client.DfSession.convertToDIException(DfSes..."
```

Workaround: From the Image Format tab on the Ascent® 7.5 Release Script for Documentum 6.0-6.5 – Release Setup window, choose a different file type for releasing eDocuments. Do not choose "Adobe PDF" as the primary image format.

Using Release Rendition as Kofax PDF or Adobe PDF

If you select a file format combination of TIFF (multipage or single page) as the primary image format and PDF (Kofax or Adobe) as the secondary image format, and then release only an eDocument, the PDF document will not be added as a rendition. For Kofax PDF, an empty PDF file is released and no error message is generated. For Adobe PDF, a file is *not* released and no error message is generated. (SPR 00010017)

Workaround: Release the eDocument with an image.

Releasing OCR Full Text Renditions

The following sections describe known problems when releasing an OCR full text rendition.

With Set Full Text Indexing Option Selected

If you attempt to release a primary TIFF image with an OCR full text rendition and you have selected the Set Full Text Indexing option on the Document Options tab, the document's "Full Text Indexed" property is not checked on the Documentum Server. However, the document is fully indexed and searchable in the Documentum repository.

This is a Documentum known issue. (Document Case #296322; Documentum Bug #67741; Kofax SPR 00010029)

With eDocuments

If you attempt to release only an eDocument with an OCR full text rendition, the OCR full text file will not be added as a rendition to the released document. An empty OCR full text file is released and no error message is generated. (SPR 00010018)

Workaround: Release the eDocument with an image.

Latest Version Option

If the latest version of the released document is not the current version and you select the "Latest version" option on the Document Settings tab, the release script will automatically create a new version of the released document corresponding to the option marked "Current version" in Documentum. (SPR 00009962)

Dynamically Select Object Type

The "Dynamically select object type at release using the following Ascent Value" check box on the Document Settings tab allows you to dynamically assign an object type to your released documents at release time. Note that if the object type cannot be matched or resolves to a NULL value at release time, the Release Setup window will receive an error message and the document will not be released. The error message is written to the error log. In addition, if you attempt to delete a linked index field, the login prompt will be displayed so you can login and validate the data in the release script. Once logged in, notice that the assigned object types have been unlinked. If you click the Cancel button, the release script will prompt you to save the data. If you click "No," the next time you setup the release script, the "Dynamically select object type at release using the following Ascent Value" check box will not be cleared and the dynamic object types will be unlinked. If you attempt to release, the release will fail with an error message. (SPR 00014585)

Workaround: Click the Apply or OK button to allow the Documentum release script to validate the changes.

Workflows With the Same Name

With Documentum, you can create workflows with identical names. Be aware that problems can develop when a user specifies the wrong workflow at release setup and then releases. This occurs because the Ascent® 7.5 Release Script for Documentum 6.0-6.5 uses the workflow name instead of the object's unique identifier. (SPR 00012262)

Workaround: Create unique names for each of your Documentum workflows.

Unexpected Behavior With the Release Working Directory

If you do not specify a Release working directory on the General Settings tab, the Ascent® 7.5 Release Script for Documentum 6.0-6.5 will give you the option to create the directory at release setup. If you click “Yes,” the release script will create the directory. However, if you click “No,” the release script will still save the changes. (SPR 00009945)

Appendix A – Releasing eDocuments

The following sections describe how eDocuments are released to the Documentum repository, depending on whether documents are to be stored in a specified cabinet, folder or a virtual document.

Storing to a Specified Cabinet / Folder

If a document to be released contains eDocuments and the “Store to Virtual Document” option is *not* selected on the Storage Settings tab, the following will occur:

- 1 Each image will be released to a document object. The images will be stored in Documentum using the same image content type (file format). The document object will be given the name of the document (object_name) as specified on the Document Settings tab.
- 2 A check will be performed to verify the existence of a virtual document with the same name as the document object from step 1.
 - If it exists, the virtual document will be checked out, versioned, and checked back in to the Documentum repository.
 - If it does not exist, the document object will be converted to a virtual document and given the same name as the document object.
- 3 eDocuments will then be added to a document object in the order that they are imported. The document object(s) will be saved within their perspective virtual document. Each document object will be named based on the file name and extension supplied by Kofax Capture. In addition, all eDocuments will be released using the format name suggested by Documentum for the file being released.

For example, a Word document written in Microsoft Word 2002 would get a suggested format name of “Word 97 / 2002 document.” When viewed in the Documentum Desktop Client, the Word document object’s format name attribute would have a value of “Word 97 / 2002 document.” In addition, the user can double-click on the Word document and view it in the Microsoft Word program.

As an example, consider the following list of single page images and eDocument files scanned or imported into a specified cabinet or folder. Note that eDocuments are only imported.

1. xls
2. tif
3. tif
4. xls
5. xls
6. tif

For this case, the structure in the Documentum repository would be as shown in the figure below.




Figure 1. Store to a Cabinet / Folder

Storing to a Virtual Document

If a document to be released contains eDocuments and the “Store to Virtual Document” option is selected on the Storage Settings tab, the following will occur:

- 1 The virtual document specified on the Storage Settings tab will be checked out, versioned, and checked back in to the Documentum repository.
- 2 Each image, if available, will be added to a newly created document object. The images will be stored using the same image content type (file format). The document object will be given the name of the document (object_name) as specified on the Document Settings tab. The document object will then be converted to a virtual document and given the same name as the document object.
- 3 If no images are available, a virtual document will be created to contain the eDocuments (see step 4). The virtual document will be given the name of the document (object_name) as specified on the Document Settings tab.
- 4 eDocuments will then be added to the newly created document objects in the order that they are imported. The document objects will be saved within their perspective virtual document. Each document object will be named based on the file name and extension supplied by Kofax Capture. In addition, all eDocuments will be released using the format name suggested by Documentum for the file being released.
- 5 The newly created virtual document (from step 2 or 3) will be added to the virtual document storage location as specified on the Storage Settings tab.

As an example, consider the following list of single page images and eDocument files scanned or imported into a document. Note that eDocuments are only imported.

1. xls
2. tif
3. tif
4. xls
5. xls
6. tif

For this case, the structure in the Documentum repository would be as shown in the figure below.




Figure 2. Store to a Virtual Document

Kofax Technical Support

For additional technical information about Kofax products, visit the Kofax Web site at www.kofax.com and select an appropriate option from the Support menu. The Kofax Support pages provide product-specific information, such as current revision levels, the latest drivers and software patches, online documentation and user manuals, updates to product release notes (if any), technical tips, and an extensive searchable knowledgebase.

The Kofax Web site also contains information that describes support options for Kofax products. Please review the site for details about the available support options.

If you need to contact Kofax Technical Support, please have the following information available:

- Kofax Capture software version
- Documentum release script version
- Operating system and Service Pack version
- Network and client configuration
- Copies of your error log files
- Information about your release script

